





A HANDSOME BALANCE OF QUALITY, VALUE AND RELIABILITY.

Typhoon Tools offer the perfect balance of quality, price, reliability of supply and outstanding visual appeal. Attributes that are appealing to both the retailer and end user, with everybody getting more bang for their buck.

We are a wholly owned and independent Australian company with extensive experience in the wholesale tool business and we have always made it our business to know and understand the market place.

That knowledge is what has driven us to search, as we have, for the right product mix – at the right prices. Where we can combine these with our renowned approach to customer service and lifetime guarantees to complete a compelling offer to our customers.

CONTENTS

TOOLKIT / TOOLBOXES	02
CHROME SOCKET SETS & INDIVIDUAL	06
SPANNER SETS & INDIVIDUALS	09
PLIERS & MULTIGRIPS	11
RATCHET PODGERS & SLOGGING SPANNERS / TORQUE WRENCHES	13
SCREWDRIVERS & HAMMERS	14
HEX KEYS / PUNCH & CHISELS	15
BOLT CUTTERS & PIPE WRENCHES	16
SPIRIT LEVELS / TAPE MEASURES / TAP & DIES / HACKSAWS / KNIVES	17
EXTENSION CORDS & TOOL BAGS	18
IMPACT SOCKETS 1/2"DRIVE	19
IMPACT SOCKETS 3/4" DRIVE	23
IMPACT SOCKETS 1" DRIVE	27
IMPACT SOCKETS 1-1/2" DRIVE	34
IN-HEX IMPACT SOCKETS / UNI-JOINTS ADAPTORS / SQUARE SOCKETS	36
IMPACT SOCKET SETS 1/2" DRIVE	41
IMPACT SOCKET SETS 3/4" DRIVE	43
IMPACT SOCKET SETS 1" DRIVE	45
IMPACT SOCKET SETS IN-HEX 1/2" - 1"	47
CROWSFOOT SPANNERS / RET RINGS	49
AIRTOOLS	50

70930B. 70930G.

6 DRAWER 188pce AF & METRIC TOOLKIT

- #70000 – 43pce 1/2" Dr Socket Set 8 – 32mm & 3/8" – 1-1/4"
- #70010 – 45pce 1/4" & 3/8" Drive Socket Set 4 – 18mm & 3/16" – 3/4"
- #70020 – 28pce Combination Spanner Set 7 – 21mm & 1/4" – 1"
- #70062 – 10"/250mm Adjustable Wrench
- #70106 – 16oz Hammer
- #70200 – 33pce Screwdriver & Bit Set
- #70600 – 30pce Hex Key Set
- #70750 – 5pce Plier Set
- #75201 – Foam insert
- #70831/70832 – 6 Drawer Tool Chest 720 x 460 x 450mm

ALSO
AVAILABLE
IN GREEN



70931B. 70931G.

6 DRAWER 247pce AF & METRIC TOOLKIT

- #70000 – 43pce 1/2" Dr Socket Set 8 – 32mm & 3/8" – 1-1/4"
- #70005 – 10ce 1/2" Dr In-Hex Socket Set Metric 4 – 19mm
- #70010 – 45pce 1/4" & 3/8" Drive Socket Set 4 – 18mm & 3/16" – 3/4"
- #70020 – 28pce Combination Spanner Set 7 – 21mm & 1/4" – 1"
- #70060 – 6"/150mm Adjustable Wrench
- #70061 – 8"/200mm Adjustable Wrench
- #70063 – 12"/300mm Adjustable Wrench
- #70106 – 16oz Hammer
- #70200 – 33pce Screwdriver & Bit Set
- #70300 – 42pc Hex Bit Set – T20-T60
- #70600 – 30pce Hex Key Set
- #70750 – 5pce Plier Set
- #75201 – Foam Insert
- #75202 – Foam Insert
- #75203 – Foam Insert
- #75205 – Foam Insert
- #75206 – Foam Insert
- #75207 – Foam Insert
- #70831/70832 – 6 Drawer Tool Chest 720 x 460 x 450mm



ALSO
AVAILABLE
IN BLACK

70932B. 70932G.

13 DRAWER 278pce AF & METRIC TOOLIT

#70000 – 43pce 1/2" Dr Socket Set 8 – 32mm & 3/8" – 1-1/4"
 #70005 – 10ce 1/2" Dr In-Hex Socket Set Metric 4 – 19mm
 #70010 – 45pce 1/4" & 3/8" Drive Socket Set 4 – 18mm & 3/16" – 3/4"
 #70020 – 28pce Combination Spanner Set 7 – 21mm & 1/4" – 1"
 #70021 – 8pce Ratchet Combo Spanner Set – Metric
 #70022 – 8pce Ratchet Combo Spanner Set – AF
 #70060 – 6"/150mm Adjustable Wrench
 #70061 – 8"/200mm Adjustable Wrench
 #70063 – 12"/300mm Adjustable Wrench
 #70106 – 16oz Hammer
 #70200 – 33pce Screwdriver & Bit Set
 #70300 – 42pce Hex Bit Set – T20-T60
 #70400 – 300mm Deluxe Hacksaw
 #70500 – 12pce Punch & Chisel Set
 #70600 – 30pce Hex Key Set
 #70750 – 5pce Plier Set
 #75201 – Foam Insert
 #75202 – Foam Insert
 #75203 – Foam Insert
 #75204 – Foam Insert
 #75205 – Foam Insert
 #75206 – Foam Insert
 #75207 – Foam Insert
 #70831/70832 – 6 Drawer Tool Chest 720 x 460 x 450mm
 #70833/70834 – 7 Drawer Roll Cabinet 720 x 460 x 1100mm



ALSO
AVAILABLE
IN BLACK

70933B. 70933G.

13 DRAWER 419pce AF & METRIC TOOLKIT

#70000 – 43pce 1/2" Dr Socket Set 8 – 32mm & 3/8" – 1-1/4"
 #70005 – 10ce 1/2" Dr In-Hex Socket Set Metric 4 – 19mm
 #70010 – 45pce 1/4" & 3/8" Drive Socket Set 4 – 18mm & 3/16" – 3/4"
 #70015 – 27pce 3/4" Dr Socket Set AF/Met 22 – 50mm & 7/8" – 2"
 #70020 – 28pce Combination Spanner Set 7 – 21mm & 1/4" – 1"
 #70021 – 8pce Ratchet Combo Spanner Set – Metric
 #70022 – 8pce Ratchet Combo Spanner Set – AF
 #70060 – 6"/150mm Adjustable Wrench
 #70061 – 8"/200mm Adjustable Wrench
 #70063 – 12"/300mm Adjustable Wrench
 #70106 – 16oz Hammer
 #70200 – 33pce Screwdriver & Bit Set
 #70300 – 42pce Hex Bit Set – T20-T60
 #70350 – 110pce Tap & Die Set
 #70400 – 300mm Deluxe Hacksaw
 #70500 – 12pce Punch & Chisel Set
 #70600 – 30pce Hex Key Set
 #70725 – 180mm INT/STR Circlip Pliers
 #70726 – 180mm EXT/STR Circlip Pliers
 #70727 – 180mm INT/BENT Circlip Pliers
 #70728 – 180mm EXT/BENT Circlip Pliers
 #70750 – 5pce Plier Set
 #75201 – Foam Insert
 #75202 – Foam Insert
 #75203 – Foam Insert
 #75204 – Foam Insert
 #75205 – Foam Insert
 #75206 – Foam Insert
 #75207 – Foam Insert
 #70831/70832 – 6 Drawer Tool Chest 720 x 460 x 450mm
 #70833/70834 – 7 Drawer Roll Cabinet 720 x 460 x 1100mm



ALSO
AVAILABLE
IN GREEN

70934B. 70934G.

12 DRAWER 461pce SUPER WIDE WAGON AF & METRIC TOOLKIT

#70000 – 43pce 1/2" Dr Socket Set 8 – 32mm & 3/8" – 1-1/4"
 #70005 – 10ce 1/2" Dr In-Hex Socket Set Metric 4 – 19mm
 #70010 – 45pce 1/4" & 3/8" Drive Socket Set 4 – 18mm & 3/16" – 3/4"
 #70020 – 28pce Combination Spanner Set 7 – 21mm & 1/4" – 1"
 #70021 – 8pce Ratchet Combo Spanner Set – Metric
 #70022 – 8pce Ratchet Combo Spanner Set – AF
 #70024 – 7pce Jumbo Combo Spanner Set – Metric
 #70025 – 6pce Jumbo Combo Spanner Set – AF
 #70060 – 6"/150mm Adjustable Wrench
 #70061 – 8"/200mm Adjustable Wrench
 #70063 – 12"/300mm Adjustable Wrench
 #70106 – 16oz Hammer
 #70110 – 4lb One Piece Club Hammer
 #70200 – 33pce Screwdriver & Bit Set
 #70300 – 42pce Hex Bit Set – T20-T60
 #70350 – 110pce Tap & Die Set
 #70400 – 300mm Deluxe Hacksaw
 #70500 – 12pce Punch & Chisel Set
 #70600 – 30pce Hex Key Set
 #70725 – 180mm INT/STR Circlip Pliers
 #70726 – 180mm EXT/STR Circlip Pliers
 #70727 – 180mm INT/BENT Circlip Pliers
 #70728 – 180mm EXT/BENT Circlip Pliers
 #70742 – 16"/400mm Multigrips
 #70750 – 5pce Plier Set
 #70761 – 18"/450mm Bolt Cutters
 #70771 – 18"/450mm Steel Pipe Wrench
 #72500 – 1/2" Dr Impact Socket Set 14pce Standard 10 – 27mm – Metric
 #72502 – 1/2" Dr Impact Socket Set 13pce Standard 7/16 – 1-1/4" – AF
 #73500 – 3/4" Dr AF/MET Socket Set 26pce 22 – 50mm & 7/8 – 2"
 #75202 – Foam Insert
 #75203 – Foam Insert
 #75204 – Foam Insert
 #75205 – Foam Insert
 #75206 – Foam Insert
 #75207 – Foam Insert
 #70956T – Foam Insert
 #70835/70836 – 12 Drawer Rollaway 1070x460x1040 (incl wheels) Series 2



70835. 70836.

12 DRAWER ROLLAWAY WAGON – SERIES 2

- Dimensions 1070 (h) x 460 (d) x 1040 (h) mm including castors
- Weight 105.0kgs



TOOLBOXES - STEEL & SITE

70833. 70834.

7 DRAWER ROLLER CABINET – SERIES 2

- Dimensions 720 (w) x 460 (d) x 1100 (h) mm including castors
- Weight 64.5kgs



70831. 70832.

6 DRAWER DEEP TOOLCHEST – SERIES 2

- Dimensions 720 (w) x 460 (d) x 450 (h) mm
- Weight 37.0kgs
- Gas struts



70823Y.

YELLOW 48" SITE BOX

- 1215 x 610 x 605mm
- 61.5kgs
- Gas struts

- **70823YW**

Set of 4 wheels to suit site box 70823Y (Sold Separately)



SOCKET - SETS / INDIVIDUAL

70010.

45PC 1/4" & 3/8" DRIVE AF & METRIC SOCKET SET

- Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, (3/8" Drive)
4, 5, 6, 7, 8, 9, 10, 11, 12, (1/4" Drive)
- AF Sizes: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, (3/8" Drive)
3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 (1/4" Drive)
- 3/8" Ratchet
- Extensions 50 – 150
- Spinner Handle
- 5/8" Spark Socket
- 1/4" – 3/8" Adaptor



70000.

43PC 1/2" DRIVE AF & METRIC SOCKET SET

- Metric Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- AF Sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" & 1-1/4"
- Ratchet
- 380mm Flex Bar
- 75, 125 & 250mm Extensions
- Uni-Joint
- 2 x Adaptors
- 5/8" & 13/16" Plug Socket



70005.

10PC 1/2" DRIVE IN-HEX SOCKET SET METRIC 4-19mm



4,5,6,7,8,10,12,
14,17,19mm

70015.

27PC 3/4" DRIVE AF & METRIC SOCKET SET

- Metric Sizes: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm
- AF Sizes: 7/8", 15/16", 1", 1-1/8", 1-3/16", 1-5/16", 1-3/8", 1-7/16", 1-5/8", 1-3/4", 1-7/8", 2"
- Ratchet
- Sliding "T"
- 2 Extensions



1/2" DRIVE ACCESSORIES

70440.

1/2" DRIVE BANJO RATCHET



70441.

1/2" DRIVE FLEXHANDLE 375MM



70442. 1/2" Drive Extension 75mm

70443. 1/2" Drive Extension 125mm

70444. 1/2" Drive Extension 250mm

70445. 1/2" Drive Uni Joint

70446. 1/2" Drive Adaptor 1/2" Female – 3/8" Male

70447. 1/2" Drive Adaptor 1/2" Male – 3/8" Female

70448. 1/2" Drive Spark Plug Socket 5/8"

70449. 1/2" Drive Spark Plug Socket 13/16"

12 POINT SINGLE/DOUBLE HEX CHROME SOCKETS AF & METRIC

METRIC

70460. 1/2" Drive Socket – 8mm

70461. 1/2" Drive Socket – 9mm

70462. 1/2" Drive Socket – 10mm

70463. 1/2" Drive Socket – 11mm

70464. 1/2" Drive Socket – 12mm

70465. 1/2" Drive Socket – 13mm

70466. 1/2" Drive Socket – 14mm

70467. 1/2" Drive Socket – 15mm

70468. 1/2" Drive Socket – 16mm

70469. 1/2" Drive Socket – 17mm

70470. 1/2" Drive Socket – 18mm

70471. 1/2" Drive Socket – 19mm

70472. 1/2" Drive Socket – 20mm

70473. 1/2" Drive Socket – 21mm

70474. 1/2" Drive Socket – 22mm

70475. 1/2" Drive Socket – 23mm

70476. 1/2" Drive Socket – 24mm

70477. 1/2" Drive Socket – 27mm

70478. 1/2" Drive Socket – 30mm

70479. 1/2" Drive Socket – 32mm



AF

70480. 1/2" Drive Socket – 3/8"

70481. 1/2" Drive Socket – 7/16"

70482. 1/2" Drive Socket – 1/2"

70483. 1/2" Drive Socket – 9/16"

70484. 1/2" Drive Socket – 5/8"

70485. 1/2" Drive Socket – 11/16"

70486. 1/2" Drive Socket – 3/4"

70487. 1/2" Drive Socket – 13/16"

70488. 1/2" Drive Socket – 7/8"

70489. 1/2" Drive Socket – 15/16"

70490. 1/2" Drive Socket – 1"

70491. 1/2" Drive Socket – 1-1/16"

70492. 1/2" Drive Socket – 1-1/8"

70493. 1/2" Drive Socket – 1-1/4"

73500.**26PC 3/4" DRIVE METRIC/AF
SOCKET SET**

- Metric Sizes: 22,24,27,30,32,36,38,41,46 and 50mm
- AF Sizes: 7/8,15/16,1,1 1/8,1 3/16,1 5/16,1 3/8,1 7/16,1 5/8,1 3/4,1 7/8, and 2"
- 1 ratchet
- 2 extensions
- Sliding T

**73501.****23PC 3/4" DRIVE METRIC
SOCKET SET**

- Metric Sizes: 19,21,22,23,24,25,26,27,28, 29,30,32,33,35,36,38,41,46,50mm.
- 1 ratchet
- 2 extensions
- Sliding T

**73502.****24PC 3/4" DRIVE AF SOCKET SET**

- AF sizes: 3/4,13/16,7/8,15/16,1,1 1/16,1 1/8,1 3/16,1 1/4,1 5/16,1 3/8,1 7/16,1 1/2,1 9/16,1 5/8,1 11/16,1 3/4,1 13/16,1 7/8 and 2"
- 1 Ratchet
- 2 extensions
- 1 sliding T

**3/4" DRIVE ACCESSORIES**

- 73510.** 3/4" Dr Ratchet Handle
73511. 3/4" Sliding T Bar 460mm
73512. 3/4" Dr Flex Handle 475mm
73513. 3/4" Dr Flex Handle 1000mm
73514. 3/4" Dr L Handle 450mm
73515. 3/4" Dr Extension 100mm
73516. 3/4" Dr Extension 125mm
73517. 3/4" Dr Extension 200mm
73518. 3/4" Dr Extension 400mm



73510



73513



73514



73515 - 73518

3/4" DRIVE CHROME SOCKETS**metric**

- 73519.** 3/4" Dr Socket – 19mm
73521. 3/4" Dr Socket – 21mm
73522. 3/4" Dr Socket – 22mm
73523. 3/4" Dr Socket – 23mm
73524. 3/4" Dr Socket – 24mm
73525. 3/4" Dr Socket – 25mm
73526. 3/4" Dr Socket – 26mm
73527. 3/4" Dr Socket – 27mm
73528. 3/4" Dr Socket – 28mm
73529. 3/4" Dr Socket – 29mm
73530. 3/4" Dr Socket – 30mm
73532. 3/4" Dr Socket – 32mm
73533. 3/4" Dr Socket – 33mm
73535. 3/4" Dr Socket – 35mm
73536. 3/4" Dr Socket – 36mm
73538. 3/4" Dr Socket – 38mm
73541. 3/4" Dr Socket – 41mm
73546. 3/4" Dr Socket – 46mm
73550. 3/4" Dr Socket – 50mm
73555. 3/4" Dr Socket – 55mm
73560. 3/4" Dr Socket – 60mm

AF

- 73569.** 3/4" Dr Socket – 3/4"
73570. 3/4" Dr Socket – 13/16"
73571. 3/4" Dr Socket – 7/8"
73572. 3/4" Dr Socket – 15/16"
73573. 3/4" Dr Socket – 1"
73574. 3/4" Dr Socket – 1-1/6"
73575. 3/4" Dr Socket – 1-1/8"
73576. 3/4" Dr Socket – 1-3/16"
73577. 3/4" Dr Socket – 1-1/4"
73578. 3/4" Dr Socket – 1-5/16"
73579. 3/4" Dr Socket – 1-3/8"
73580. 3/4" Dr Socket – 1-7/16"
73581. 3/4" Dr Socket – 1-1/2"
73582. 3/4" Dr Socket – 1-9/16"
73583. 3/4" Dr Socket – 1-5/8"
73584. 3/4" Dr Socket – 1-11/16"
73585. 3/4" Dr Socket – 1-3/4"
73586. 3/4" Dr Socket – 1-13/16"
73587. 3/4" Dr Socket – 1-7/8"
73588. 3/4" Dr Socket – 1-15/16"
73589. 3/4" Dr Socket – 2"
73590. 3/4" Dr Socket – 2-1/16"
73591. 3/4" Dr Socket – 2-1/8"
73592. 3/4" Dr Socket – 2-3/16"
73593. 3/4" Dr Socket – 2-1/4"
73594. 3/4" Dr Socket – 2-5/16"
73595. 3/4" Dr Socket – 2-3/8"
73596. 3/4" Dr Socket – 2-7/16"
73597. 3/4" Dr Socket – 2-1/2"



73508.

1" DRIVE RATCHET HANDLE

- 1" dr ratchet handle



73509.

1" DRIVE FLEXHANDLE 1000MM

- 1" Dr Flex Handle (Breaker Bar) 1000mm



YOUR SATISFACTION IS OUR OBJECTIVE.

Our ultimate objective, whether you are a retailer or the end user, is to provide you with products that are made well, look great, are priced right and are covered by a 'no-fuss' lifetime warranty. With an ever expanding product range this all makes Typhoon an easy tool brand to choose, work with and rely on.

SPANNERS - COMBINATION & RATCHET

70020.

28PC COMBINATION AF & METRIC SPANNER SET

- **Metric Sizes:** 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm
- **AF Sizes:** 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 3/16", 7/8", 15/16", 1"



70029.

36PC COMBINATION SPANNER SET AF & METRIC

- **Metric:** 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 22, 24, 27, 30, 32mm
- **AF:** 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



METRIC COMBINATION SPANNER SETS

- **70023 (15PC)** - 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm
- **70028 (20PC)** - 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm



AF COMBINATION SPANNER SETS

- **70026 (16PC)** - 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
- **70027 (13PC)** - 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"



8PC RATCHET SPANNER SET

- **70021 - Metric:** 8, 10, 12, 13, 14, 16, 17 & 19mm
- **70022 - AF:** 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"



JUMBO COMBINATION SPANNER SETS

- **70024 (7PC)** - Metric: 22, 24, 27, 30, 32, 36 & 41mm
- **70025 (6PC)** - AF: 1", 1 1/16", 1 1/8", 1 1/4", 1 3/8", 1 1/2"



INDIVIDUAL RATCHET RING SPANNERS METRIC / AF

70031.	8mm	70080.	5/16"
70032.	9mm	70081.	3/8"
70033.	10mm	70082.	7/16"
70034.	11mm	70083.	1/2"
70035.	12mm	70084.	9/16"
70036.	13mm	70085.	5/8"
70037.	14mm	70086.	11/16"
70038.	15mm	70087.	3/4"
70039.	16mm		
70040.	17mm		
70030.	18mm		
70041.	19mm		
70042.	21mm		
70043.	22mm		
70044.	23mm		
70045.	24mm		
70048.	27mm		
70051.	30mm		
70053.	32mm		



ADJUSTABLE WRENCHES

• Chrome Vanadium

70060.	150mm/6"
70061.	200mm/8"
70062.	250mm/10"
70063.	300mm/12"
70064.	375mm/15"
70065.	450mm/18"
70066.	600mm/24"
70067.	750mm/30"



INDIVIDUAL COMBINATION SPANNERS METRIC / AF

• Chrome Vanadium

METRIC		AF	
70320.	7mm	70370.	1/4"
70321.	8mm	70371.	5/16"
70322.	9mm	70372.	3/8"
70323.	10mm	70373.	7/16"
70324.	11mm	70374.	1/2"
70325.	12mm	70375.	9/16"
70326.	13mm	70376.	5/8"
70327.	14mm	70377.	11/16"
70328.	15mm	70378.	3/4"
70329.	16mm	70379.	13/16"
70330.	17mm	70380.	7/8"
70331.	18mm	70381.	15/16"
70332.	19mm	70382.	1"
70333.	20mm	70383.	1 1/16"
70334.	21mm	70384.	1 1/8"
70335.	22mm	70385.	1 1/4"
70336.	23mm	70392.	1-5/16"
70337.	24mm	70386.	1 3/8"
70338.	25mm	70387.	1 1/2"
70339.	26mm	70388.	1 5/8"
70340.	27mm	70389.	1 3/4"
70341.	28mm	70390.	1 7/8"
70342.	29mm	70391.	2"
70343.	30mm		
70345.	32mm		
70346.	33mm		
70347.	34mm		
70348.	35mm		
70349.	36mm		
70352.	38mm		
70354.	41mm		
70355.	42mm		
70359.	46mm		
70361.	48mm		
70363.	50mm		
70655.	55mm		
70660.	60mm		
70665.	65mm		
70670.	70mm		
70675.	75mm		
70680.	80mm		
70685.	85mm		



PLIERS

70700.

COMBINATION PLIERS

- 200mm/8"
- Chrome Nickel
- Insulated Handle



70710.

DIAGONAL PLIERS

- 175mm/7"
- Chrome Nickel
- Insulated Handle



70730.

LOCKING PLIERS

- 250mm/10"
- Chrome Vanadium
- Insulated Handle



TINSNIPS

- 70751 - Left Hand Cut
- 70752 - Straight Cut
- 70753 - Right Hand Cut



70720.

LONG NOSE PLIERS

- 200mm/8"
- Chrome Nickel
- Insulated Handle



70750.

5PC COMBO PLIER SET

- 70700. Combination Pliers
- 70710. Diagonal Pliers
- 70720. Long Nose Pliers
- 70730. Locking Pliers
- 70740. Multigrip Pliers



PLIERS & MULTIGRIPS

70740.

MULTIGRIPS 10"

- 10"/250mm
- Chrome Nickel
- Insulated Handle



70741.

MULTIGRIPS 12"

- 12"/300mm
- Chrome Nickel
- Insulated Handle



70742.

MULTIGRIPS 16"

- 16"/400mm
- Chrome Nickel
- Insulated Handle



CIRCLIP PLIERS

- 180mm
- Chrome Vanadium

- 220mm
- Chrome Vanadium

- 70725 180mm Internal/Straight
- 70726 180mm External/Straight
- 70727 180mm Internal/Bent
- 70728 180mm External/Bent

- 70735 220mm Internal/Straight
- 70736 220mm External/Straight
- 70737 220mm Internal/Bent
- 70738 220mm External/Bent



70735 – Internal/Straight

70736 – External/Straight



70737 – Internal/Bent

70738 – External/Bent

RATCHET PODGERS / SLOGGING SPANNERS

RATCHET PODGERS

74700.	17mm x 19mm	74711.	46 x 50mm
74701.	18mm x 24mm	74712.	55 x 60mm
74702.	19mm x 21mm	74713.	60 x 65mm
74703.	19mm x 24mm	74714.	65 x 70mm
74704.	21mm x 24mm	74715.	70 x 75mm
74705.	24mm x 27mm	74716.	80 x 85mm
74706.	24mm x 30mm	74717.	90 x 95mm
74707.	27mm x 30mm		
74708.	27mm x 32mm		
74723.	30mm x 32mm		
74709.	32mm x 36mm		
74710.	36mm x 41mm		



OPEN END PODGERS

74914	OPEN END PODGER SPANNER 14MM
74917	OPEN END PODGER SPANNER 17MM
74918	OPEN END PODGER SPANNER 18MM
74919	OPEN END PODGER SPANNER 19MM
74921	OPEN END PODGER SPANNER 21MM
74922	OPEN END PODGER SPANNER 22MM
74924	OPEN END PODGER SPANNER 24MM
74927	OPEN END PODGER SPANNER 27MM
74930	OPEN END PODGER SPANNER 30MM
74932	OPEN END PODGER SPANNER 32MM
74934	OPEN END PODGER SPANNER 34MM
74936	OPEN END PODGER SPANNER 36MM
74941	OPEN END PODGER SPANNER 41MM
74946	OPEN END PODGER SPANNER 46MM
74950	OPEN END PODGER SPANNER 50MM
74955	OPEN END PODGER SPANNER 55MM
74960	OPEN END PODGER SPANNER 60MM
74965	OPEN END PODGER SPANNER 65MM



SLOGGING SPANNERS

74024	24mm	74160	160mm	74300	2-3/8"
74027	27mm	74165	165mm	74305	2-7/16"
74030	30mm	74170	170mm	74307	2-1/2"
74032	32mm	74175	175mm	74310	2-9/16"
74034	34mm	74180	180mm	74315	2-5/8"
74036	36mm	74200	15/16"	74320	3/4"
74038	38mm	74205	1"	74321	2-13/16"
74040	40mm	74210	1-1/16"	74322	2-7/8"
74041	41mm	74215	1-1/8"	74325	3"
74042	42mm	74220	1-3/16"	74326	3-1/16"
74046	46mm	74225	1-1/4"	74330	3-1/8"
74050	50mm	74230	1-5/16"	73333	3-5/16"
74055	55mm	74235	1-3/8"	74335	3-3/8"
74060	60mm	74240	1-7/16"	74345	3-1/2"
74065	65mm	74245	1-1/2"		
74070	70mm	74247	1-9/16"		
74075	75mm	74250	1-5/8"		
74080	80mm	74255	1-11/16"		
74085	85mm	74260	1-3/4"		
74090	90mm	74265	1-13/16"		
74095	95mm	74270	1-7/8"		
74100	100mm	74272	1-15/16"		
74105	105mm	74275	2"		
74110	110mm	74280	2-1/16"		
74115	115mm	74285	2-1/8"		
74120	120mm	74290	2-3/16"		
74125	125mm	74295	2-1/4"		
74130	130mm	74296	2-5/16"		
74135	135mm				
74140	140mm				
74145	145mm				
74150	150mm				
74155	155mm				



DUAL WAY TORQUE WRENCH

Product Code	Size	Main Torque Range	Second Torque Range	Fine Scale
73100	1/4"	5-25 N-m	39.8-225.7 In-lb	0.1 N-m
73105	3/8"	20-100 N-m	9.2-75.6 Ft-lb	0.1 N-m
73110	1/2"	40-200 N-m	18.4-151.2 Ft-lb	1 N-m
73112	1/2"	60-340N-m	36.9 - 258.1 Ft-lb	2 N-m
73115	3/4"	150-750 N-m	92.2-571.6 Ft-lb	5 N-m
73120	1"	150-750 N-m	92.2-571.6 Ft-lb	5 N-m
73125	1"	200-1000N-m	92.2 - 756 Ft-lb	5 N-m



SCREWDRIVERS / HAMMERS

70200.

33PC SCREWDRIVER & BIT SET

- 6 X Blade
- 6 X Phillips Head
- 1 X Bit Holder
- 20 Assorted Bits
- Blow Mould Case



INDIVIDUAL SCREWDRIVERS

BLADE

70210. 6.5 x 38mm

70211. 3.0 x 75mm

70212. 5.5 x 75mm

70213. 6.5 x 100mm

70214. 6.5 x 150mm

70215. 8.0 x 200mm

PHILLIPS

70220. No2 x 38mm

70221. No0 x 75mm

70222. No1 x 75mm

70223. No2 x 100mm

70224. No2 x 150mm

70225. No3 x 150mm



BALL PEIN HAMMER FIBREGLASS HANDLE

- 70104.** 8oz
70105. 12oz
70106. 16oz
70107. 24oz
70108. 32oz



70110.

4LB CLUB HAMMER

- 1PC Steel



HEX KEYS / PUNCH & CHISELS

70300.

42PC HEX, TORX, SPLINE & STAR BIT SET

30mm BIT SIZES

- Hex Bits 4, 5, 6, 7, 8, 10, 12mm
- Spline M6, M8, M10, M12
- Star T20, T25, T30, T40, T45, T50, T55, T60

75mm BIT SIZES

- Hex Bits 4, 5, 6, 7, 8, 10, 12mm
- Spline M6, M8, M10, M12
- Star T20, T25, T30, T40, T45, T50, T55, T60
- 3/8" & 1/2" Adaptions
- Chrome Vanadium



70600.

30PC HEX KEY SET

- 0.028" - 3/8"
- 0.7 - 10mm



70502.

8PC LONG PIN PUNCH SET

- One piece construction
- 3, 4, 5, 6, 7, 8, 9, & 10.0mm




9PC LONG BALL POINT HEX KEY SET

- 220mm
- Chrome Vanadium

70612 Metric: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

70613 AF: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"



70500.

12PC PUNCH & CHISEL SET - INDUSTRIAL QUALITY

- Pin Punch, Cold Chisel, Centre Punch & Solid Punch
- Pin Punch 1.5, 3, 4, 5, 6, 8Mm
- Chisel 10, 12, 16Mm
- Centre Punch 6 & 8Mm
- Straight Punch 2Mm



70501.

6PC COLD CHISEL SET 10-25MM

- 10mm, 12mm, 16mm, 19mm, 22mm and 25mm



BOLT CUTTERS / PIPE WRENCHES

70759.

MINI BOLT CUTTERS

- 8"/200mm



74725.

4PC PRY BAR SET

- Carbon steel
- AF Sizes 6, 12, 16 20"



STEEL PIPE WRENCHES

- 70770. 350mm
- 70771. 450mm
- 70772. 600mm
- 70773. 900mm
- 70774. 1200mm



BOLT CUTTERS

- 1PC Steel

- 70760. 350mm
- 70761. 450mm
- 70762. 600mm
- 70763. 900mm



ALUMINIUM PIPE WRENCHES

- 70780. 350mm
- 70781. 450mm
- 70782. 600mm
- 70783. 900mm
- 70784. 1200mm



SPIRIT LEVEL WITH CANVAS BAG

- 70150.** 600mm
- 70151.** 1200mm
- 3 Vial 180°, 90°, 45°
- Accuracy 0.5mm/m
- Thickness 1.6mm
- Canvas Carry Bag
- Double Milled Surface



70149.

TORPEDO LEVEL MAGNETIC BASE



70350.

110PC TAP & DIE SET

- 4-40unc, 6-32unc, 8-32unc
- 10-24unc, 10-32unc, 12-24unc
- 1/4-20unc, 1/4-28unc, 1/4-24unc
- 1/4-32unc, 5/16-18unc, 5/16-24unc
- 3/8-16unc, 3/8-24unc, 7/16-14unc
- 7/16-20unc, 1/2-13unc, 1/2-20unc
- 9/16-12unc, 9/16-18unc, 5/8-11unc
- 5/8-18unc, 3/4-10unc, 3/4-16unc
- M6 x 1.0, M8 x 1.25, M10 x 1.5, M10 x 1.0
- M11 x 1.5, M12 x 1.25, M12 x 1.75
- M14 x 1.25, M18 x 1.5
- 1/8-27npt, 1/4-18npt



70405.

SAFETY BACK UTILITY KNIFE

- Contains 1 Blade
- Auto Retract



TAPE MEASURE

- 70170.** 8m/26' AF & Metric
- 70171.** 8m Metric Only

- 25mm blade



70155.

50M DISTANCE LASER MEASURER

- Measuring range 0.1 - 50m
- Measuring accuracy +/- 2mm
- Laser type 620-690nm
- 2 x AAA batteries
- 2 year warranty



70400.

HACKSAW

- Adjustable square steel tube frame for 300mm blade
- Frame has 2 set of blade spigots which allows straight for 45° cutting.



EXTENSION CORDS / TOOL BAGS

EXTENSION LEADS

- Insulated Pins to apply to Australian Standards
- Indoor/Outdoor Use
- Neon Light for Both Pin & Plug

15AMP LEAD, 10AMP PLUG

- 70119. 5m
- 70120. 10m
- 70121. 15m
- 70122. 20m
- 70123. 25m
- 70124. 30m

15AMP LEAD, 15AMP PLUG

- 70127. 15m
- 70128. 20m
- 70130. 30m



70250.

TOOL BAG

- 410 x 220 x 260mm
- Heavy Duty Bag
- Reinforced Sides & Edges
- Plastic Padded Feet
- Bucket Type
- 27 Pocket



70255.

CANVAS BACKPACK TOOL BAG

- 2 Side pockets
- Front pocket
- Heavy duty adjustable straps
- Rubber base
- Comes with 27 pocket removable liftout



70251.

TOOL BAG

- 490 x 250 x 280mm
- Heavy Duty Durable Material
- Steel Swivel Handle with Soft Grip
- Rubber Feet on Base



IMPACT SOCKETS 6 POINT

1/2" STANDARD LENGTH IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72008	8	15	25	6	38	110	
72009	9	16	25	6	38	110	
72010	10	17	25	6	38	153	
72011	11	18	25	8	38	170	
72012	12	19	25	8	38	203	
72013	13	21	25	8	38	249	
72014	14	22	25	8	38	282	
72015	15	23	30	9	38	339	TYRR50095
72016	16	24	30	9	38	407	TYRR50095
72017	17	26	30	9	38	475	TYRR50095
72018	18	27	30	9	38	542	TYRR50095
72019	19	28	30	10	38	565	TYRR50095
72020	20	30	30	12	38	570	TYRR50095
72021	21	30	30	12	38	570	TYRR50095
72022	22	32	30	12	38	570	TYRR50095
72023	23	32	30	14	40	570	TYRR50095
72024	24	34	30	14	40	570	TYRR50095
72025	25	36	30	14	40	570	TYRR50095
72026	26	36	30	14	43	570	TYRR50095
72027	27	38	30	14	43	570	TYRR50095
72028	28	40	30	16	43	570	TYRR50095
72029	29	40	30	16	43	570	TYRR50095
72030	30	42	30	16	43	570	TYRR50095
72032	32	44	30	18	43	570	TYRR50095
72033	33	45	30	20	46	570	TYRR50095
72034	34	46	30	20	46	570	TYRR50095
72035	35	48	30	20	50	570	TYRR50095
72036	36	50	30	20	50	570	TYRR50095
72038	38	52	30	20	50	570	TYRR50095

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1/2" STANDARD LENGTH IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72058	5/16	14	25	9	38	124	
72059	3/8	17	25	9	38	169	
72060	7/16	18.5	25	9	38	226	
72061	1/2	20.5	25	9	38	294	
72062	9/16	23	25	11	38	373	
72063	5/8	24.5	30	11	38	463	TYRR50095
72064	11/16	27	30	11	38	565	TYRR50095
72065	3/4	28	30	11	38	565	TYRR50095
72066	13/16	30	30	11	38	565	TYRR50095
72067	7/8	31.8	30	13	38	565	TYRR50095
72068	15/16	33.8	30	13	38	565	TYRR50095
72069	1	35.8	30	13	40	565	TYRR50095
72070	1-1/16	37.8	30	13	43	565	TYRR50095
72071	1-1/8	39.8	30	16.5	43	565	TYRR50095
72072	1-3/16	41.8	30	16.5	43	565	TYRR50095
72073	1-1/4	43.8	30	16.5	43	565	TYRR50095

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1/2" DEEP LENGTH IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72108	8	14	25	11	80	110	
72109	9	16.6	25	11	80	110	
72110	10	17	25	11	80	153	
72111	11	18.5	25	11	80	170	
72112	12	20	25	11	80	203	
72113	13	21	25	11	80	249	
72114	14	22.4	25	11	80	282	
72115	15	23	30	11	80	339	TYRR50095
72116	16	25	30	11	80	407	TYRR50095
72117	17	26	30	11	80	475	TYRR50095
72118	18	27.5	30	11	80	542	TYRR50095
72119	19	28.5	30	13	80	565	TYRR50095
72120	20	30	30	13	80	570	TYRR50095
72121	21	31.9	30	13	80	570	TYRR50095
72122	22	31.8	30	13	80	570	TYRR50095
72123	23	31.8	30	13	80	570	TYRR50095
72124	24	34.8	30	15	80	570	TYRR50095
72125	25	35.8	30	15	80	570	TYRR50095
72126	26	35.8	30	15	80	570	TYRR50095
72127	27	37.8	30	18.3	80	570	TYRR50095
72128	28	39.8	30	18.3	80	570	TYRR50095
72129	29	41.8	30	18.3	80	570	TYRR50095
72130	30	42	30	18.3	80	570	TYRR50095
72132	32	44	30	18.3	80	570	TYRR50095
72133	33	44.8	30	20	80	570	TYRR50095
72134	34	45.8	30	20	80	570	TYRR50095
72135	35	47.8	30	20	80	570	TYRR50095
72136	36	49.8	30	20	80	570	TYRR50095
72138	38	51.8	30	20	80	570	TYRR50095

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1/2" DEEP LENGTH IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72158	5/16	14	25	10	78	124	
72159	3/8	17	25	14	78	169	
72160	7/16	18.5	25	14	78	226	
72161	1/2	20.5	25	14	78	294	
72162	9/16	23	25	14	78	373	
72163	5/8	24.5	30	14	78	463	TYRR50095
72164	11/16	27	30	17	78	565	TYRR50095
72165	3/4	28	30	17	78	565	TYRR50095
72166	13/16	29.8	30	17	78	565	TYRR50095
72167	7/8	31.8	30	19	78	565	TYRR50095
72168	15/16	33.8	30	19	78	565	TYRR50095
72169	1	35.8	30	19	78	565	TYRR50095
72170	1-1/16	37.8	30	19	78	565	TYRR50095
72171	1-1/8	39.8	30	19	78	565	TYRR50095
72172	1-3/16	41.8	30	19	78	565	TYRR50095
72173	1-1/4	43.8	30	30	78	565	TYRR50095

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

3/4" STANDARD LENGTH IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72217	17	30	44	13	51	554	TY10032CG
72218	18	31	44	13	51	610	TY10032CG
72219	19	32.5	44	13	51	780	TY10032CG
72220	20	33.5	44	13	51	780	TY10032CG
72221	21	35	44	13	51	930	TY10032CG
72222	22	36	44	13	51	972	TY10032CG
72223	23	37.5	44	13	51	1015	TY10032CG
72224	24	38.5	44	16	51	1085	TY10032CG
72225	25	40	44	16	53	1160	TY10032CG
72226	26	41	44	16	53	1240	TY10032CG
72227	27	42.5	44	16	53	1580	TY10032CG
72228	28	44	44	19	53	1695	TY10032CG
72229	29	45	44	19	53	1810	TY10032CG
72230	30	46	44	19	53	1885	TY10032CG
72231	31	47.5	44	19	57	1955	TY10032CG
72232	32	48.5	44	19	57	2030	TY10032CG
72233	33	50	44	22	57	2030	TY10032CG
72234	34	51	44	22	57	2030	TY10032CG
72235	35	52.5	44	22	57	2030	TY10032CG
72236	36	53.5	44	22	57	2030	TY10032CG
72237	37	55	44	22	57	2030	TY10032CG
72238	38	56	44	22	57	2030	TY10032CG
72239	39	57	44	22	58	2030	TY10032CG
72240	40	58.5	44	22	58	2030	TY10032CG
72241	41	60	44	22	58	2030	TY10032CG
72242	42	61	44	25	58	2030	TY10032CG
72243	43	62.5	44	25	62	2030	TY10032CG
72244	44	64	44	25	62	2030	TY10032CG
72245	45	65	44	25	62	2030	TY10032CG
72246	46	66	44	25	62	2030	TY10032CG
72247	47	67	44	30	68	2030	TY10032CG
72248	48	68	44	30	68	2030	TY10032CG
72249	49	70	44	30	68	2030	TY10032CG
72250	50	71	44	30	68	2030	TY10032CG
72254	54	76	54	32	71	2200	TY18708CG
72255	55	78	54	32	71	2200	TY18708CG
72258	58	81	54	32	71	2200	TY18708CG
72260	60	83.5	54	34	73	2200	TY18708CG
72263	63	86	54	34	73	2200	TY18708CG
72265	65	88	54	34	73	2200	TY18708CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

3/4" STANDARD LENGTH IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72275	1/2	23	41.4	13	51	418	TY10032CG
72276	9/16	25.5	41.4	13	51	418	TY10032CG
72277	5/8	28	41.4	13	51	497	TY10032CG
72278	11/16	29.5	41.4	13	51	576	TY10032CG
72279	3/4	32	41.4	13	51	780	TY10032CG
72280	13/16	35	41.4	13	51	926	TY10032CG
72281	7/8	36	41.4	13	51	972	TY10032CG
72282	15/16	38.5	41.4	13	51	1085	TY10032CG
72283	1	40	41.4	13	53	1243	TY10032CG
72284	1-1/16	42.5	44	13	53	1582	TY10032CG
72285	1-1/8	44	44	16	53	1808	TY10032CG
72286	1-3/16	46	44	16	53	1921	TY10032CG
72287	1-1/4	48	44	16	57	2034	TY10032CG
72288	1-5/16	50	44	19	57	2034	TY10032CG
72289	1-3/8	52.5	44	19	57	2034	TY10032CG
72290	1-7/16	53.5	44	19	57	2034	TY10032CG
72291	1-1/2	56	44	22	57	2034	TY10032CG
72292	1-9/16	58.5	44	22	58	2034	TY10032CG
72293	1-5/8	60	44	22	58	2034	TY10032CG
72294	1-11/16	63.5	44	26	62	2034	TY10032CG
72295	1-3/4	64.5	44	26	62	2034	TY10032CG
72296	1-13/16	66	44	26	62	2034	TY10032CG
72297	1-7/8	68	44	27	68	2034	TY10032CG
72298	1-15/16	70	44	27	68	2034	TY10032CG
72299	2	71	44	27	68	2034	TY10032CG
72300	2-1/16	74	54	31	71	2034	TY18708CG
72301	2-1/8	76	54	31	71	2034	TY18708CG
72302	2-3/16	78	54	31	71	2034	TY18708CG
72303	2-1/4	80	54	33	73	2034	TY18708CG
72304	2-5/16	81.5	54	33	73	2034	TY18708CG
72305	2-3/8	83.5	54	34	73	2034	TY18708CG
72306	2-7/16	85	54	34	75	2034	TY18708CG
72307	2-1/2	86.5	54	34	75	2034	TY18708CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

3/4" DEEP LENGTH IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72317	17	30	44	19	90	554	TY10032CG
72318	18	31	44	19	90	610	TY10032CG
72319	19	32.5	44	19	90	780	TY10032CG
72320	20	33.5	44	19	90	780	TY10032CG
72321	21	35	44	19	90	930	TY10032CG
72322	22	36	44	19	90	972	TY10032CG
72323	23	37.5	44	19	90	1015	TY10032CG
72324	24	38.5	44	19	90	1085	TY10032CG
72325	25	40	44	19	90	1160	TY10032CG
72326	26	41	44	22	90	1240	TY10032CG
72327	27	42.5	44	22	90	1580	TY10032CG
72328	28	44	44	22	90	1695	TY10032CG
72329	29	45	44	22	90	1810	TY10032CG
72330	30	46	44	22	90	1885	TY10032CG
72331	31	47.5	44	22	90	1955	TY10032CG
72332	32	48.5	44	22	90	2030	TY10032CG
72333	33	50	44	25	90	2030	TY10032CG
72334	34	51	44	25	90	2030	TY10032CG
72335	35	52.5	44	25	90	2030	TY10032CG
72336	36	53.5	44	25	90	2030	TY10032CG
72337	37	55	44	25	90	2030	TY10032CG
72338	38	56	44	25	90	2030	TY10032CG
72339	39	57	44	25	90	2030	TY10032CG
72340	40	58.5	44	30	90	2030	TY10032CG
72341	41	60	44	30	90	2030	TY10032CG
72342	42	61	44	30	90	2030	TY10032CG
72343	43	62.5	44	30	90	2030	TY10032CG
72344	44	64	44	30	90	2030	TY10032CG
72345	45	65	44	30	90	2030	TY10032CG
72346	46	66	44	30	90	2030	TY10032CG
72347	47	67	44	30	90	2030	TY10032CG
72348	48	68	44	30	90	2030	TY10032CG
72349	49	70	44	30	90	2030	TY10032CG
72350	50	71	44	30	90	2030	TY10032CG
72354	54	76	54	40	100	2030	TY18708CG
72355	55	78	54	40	100	2030	TY18708CG
72358	58	81	54	40	100	2030	TY18708CG
72360	60	83.5	54	44	105	2030	TY18708CG
72363	63	86	54	44	105	2030	TY18708CG
72365	65	88	54	44	105	2030	TY18708CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

3/4" DEEP LENGTH IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72375	1/2	23	41.4	16	90	418	TY10032CG
72376	9/16	25.5	41.4	16	90	418	TY10032CG
72377	5/8	28	41.4	16	90	497	TY10032CG
72378	11/16	29.5	41.4	16	90	576	TY10032CG
72379	3/4	32	41.4	16	90	780	TY10032CG
72380	13/16	35	41.4	16	90	926	TY10032CG
72381	7/8	36	41.4	16	90	972	TY10032CG
72382	15/16	38.5	41.4	16	90	1085	TY10032CG
72383	1	40	41.4	16	90	1243	TY10032CG
72384	1-1/16	42.5	44	16	90	1582	TY10032CG
72385	1-1/8	44	44	16	90	1808	TY10032CG
72386	1-3/16	46	44	16	90	1921	TY10032CG
72387	1-1/4	48.5	44	16	90	2034	TY10032CG
72388	1-5/16	50	44	22	90	2034	TY10032CG
72389	1-3/8	52.5	44	22	90	2034	TY10032CG
72390	1-7/16	53.5	44	22	90	2034	TY10032CG
72391	1-1/2	56	44	22	90	2034	TY10032CG
72392	1-9/16	58.5	44	22	90	2034	TY10032CG
72393	1-5/8	60	44	22	90	2034	TY10032CG
72394	1-11/16	63.5	44	27	90	2034	TY10032CG
72395	1-3/4	64.5	44	27	90	2034	TY10032CG
72396	1-13/16	66	44	27	90	2034	TY10032CG
72397	1-7/8	68	44	27	90	2034	TY10032CG
72398	1-15/16	70	44	27	90	2034	TY10032CG
72399	2	71	44	27	90	2034	TY10032CG
72400	2-1/16	74	54	31	100	2034	TY18708CG
72401	2-1/8	76	54	31	100	2034	TY18708CG
72402	2-3/16	78	54	31	100	2034	TY18708CG
72403	2-1/4	80	54	34	100	2034	TY18708CG
72404	2-5/16	81.5	54	34	105	2034	TY18708CG
72405	2-3/8	83.5	54	34	105	2034	TY18708CG
72406	2-7/16	85	54	34	105	2034	TY18708CG
72407	2-1/2	86	54	34	105	2034	TY18708CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1" STANDARD LENGTH IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72619	19	35	54	16	58	900	TY10008CG
72620	20	36	54	17	58	900	TY10008CG
72621	21	37.5	54	17	58	900	TY10008CG
72622	22	39	54	17	58	1240	TY10008CG
72623	23	40	54	17	58	1240	TY10008CG
72624	24	41.5	54	17	58	1470	TY10008CG
72625	25	42.5	54	17	60	1470	TY10008CG
72626	26	44	54	17	60	1470	TY10008CG
72627	27	45	54	17	60	1695	TY10008CG
72628	28	46.5	54	17	60	1955	TY10008CG
72629	29	47.5	54	19	62	1955	TY10008CG
72630	30	49	54	19	62	2225	TY10008CG
72631	31	50	54	19	62	2225	TY10008CG
72632	32	51.5	54	19	63	2490	TY10008CG
72633	33	52.5	54	21	63	2490	TY10008CG
72634	34	54	54	21	90	2490	TY10008CG
72635	35	55	54	21	66	2490	TY10008CG
72636	36	56.5	54	23	66	2712	TY10008CG
72637	37	58	54	23	66	2712	TY10008CG
72638	38	59	54	23	66	2712	TY10008CG
72639	39	60	54	23	66	2712	TY10008CG
72640	40	61	54	23	66	2712	TY10008CG
72641	41	62.5	54	25	68	2940	TY10008CG
72642	42	64	54	25	68	2940	TY10008CG
72643	43	65	54	25	70	2940	TY10008CG
72644	44	66	60.3	25	70	2940	TY10008CG
72645	45	67.5	60.3	25	70	2940	TY10008CG
72646	46	69	60.3	29	72	3390	TY10008CG
72647	47	70	60.3	29	72	3390	TY10008CG
72648	48	71.5	60.3	29	76	3390	TY10008CG
72649	49	73	60.3	29	76	3390	TY10008CG
72650	50	74	60.3	31	76	3615	TY10008CG
72651	51	75	60.3	31	76	3615	TY10010CG
72652	52	76.5	60.3	31	80	3615	TY10010CG
72653	53	78	60.3	31	80	3615	TY10010CG
72654	54	79	60.3	31	80	3615	TY10010CG
72655	55	80	60.3	34	84	3615	TY10010CG
72656	56	81.5	60.3	34	84	3615	TY10010CG
72657	57	82.5	60.3	34	84	3615	TY10010CG
72658	58	84	60.3	34	84	3615	TY10010CG
72659	59	85	60.3	34	88	3615	TY10010CG
72660	60	86.5	60.3	35	88	3615	TY10010CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1" STANDARD LENGTH IMPACT SOCKETS, CR-MO METRIC CONTINUED



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72662	62	88	60.3	35	88	3615	TY10010CG
72663	63	90	60.3	35	88	3615	TY10010CG
72665	65	92.5	60.3	35	92	3615	TY10010CG
72667	67	95	60.3	35	92	3615	TY10010CG
72668	68	98	60.3	35	96	3615	TY10010CG
72669	69	98	60.3	35	96	3615	TY10010CG
72670	70	99	60.3	35	96	3615	TY10010CG
72671	71	100	60.3	35	96	3615	TY10010CG
72675	75	105	60.3	35	102	3615	TY10010CG
72677	77	108	60.3	35	102	3615	TY10021CG
72680	80	111.5	60.3	35	102	3615	TY10021CG
72685	85	117.5	86	35	106	3615	TY10021CG
72690	90	124	86	35	108	3615	TY10021CG
72695	95	130	86	35	110	3615	TY10021CG
72700	100					3615	TY10021CG
72705	105					3615	TY10021CG
72710	110					3615	TY10021CG
72715	115					3615	TY10021CG
72716	120					3615	TY10021CG

1" STANDARD LENGTH IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72719	11/16	30	54	17	58	904	TY10008CG
72720	3/4	35	54	17	58	904	TY10008CG
72721	13/16	37.5	54	17	58	1130	TY10008CG
72722	7/8	39	54	17	58	1243	TY10008CG
72723	15/16	40.5	54	17	58	1469	TY10008CG
72724	1	42.5	54	17	60	1582	TY10008CG
72725	1-1/16	44.5	54	17	60	1695	TY10008CG
72726	1-1/8	46	54	17	62	1924	TY10008CG
72727	1-3/16	49	54	17	62	2226	TY10008CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1" STANDARD LENGTH IMPACT SOCKETS, CR-MO IMPERIAL CONTINUED



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72728	1-1/4	51.5	54	17	63	2486	TY10008CG
72729	1-5/16	54	54	19	66	2486	TY10008CG
72730	1-3/8	55	54	19	66	2486	TY10008CG
72731	1-7/16	56.5	54	19	66	2712	TY10008CG
72732	1-1/2	59	54	22	66	2712	TY10008CG
72733	1-9/16	61	54	22	66	2938	TY10008CG
72734	1-5/8	62.5	54	22	68	2938	TY10008CG
72735	1-11/16	65	54	25	70	3163	TY10008CG
72736	1-3/4	67.5	60.3	25	70	3163	TY10008CG
72737	1-13/16	69	60.3	27	72	3390	TY10008CG
72738	1-7/8	70	60.3	27	72	3390	TY10010CG
72739	1-15/16	72.5	60.3	27	76	3390	TY10010CG
72740	2	74	60.3	27	76	3616	TY10010CG
72741	2-1/16	76.5	60.3	31	80	3616	TY10010CG
72742	2-1/8	79	60.3	31	80	3616	TY10010CG
72743	2-3/16	80	60.3	31	84	3616	TY10010CG
72744	2-1/4	82.5	60.3	34	84	3616	TY10010CG
72745	2-5/16	84	60.3	34	84	3616	TY10010CG
72746	2-3/8	86.5	60.3	34	88	3616	TY10010CG
72747	2-7/16	89	60.3	36	88	3616	TY10010CG
72748	2-1/2	91.5	60.3	36	92	3616	TY10010CG
72749	2-9/16	92.5	60.3	38	92	3616	TY10010CG
72750	2-5/8	95	60.3	38	92	3616	TY10010CG
72751	2-11/16	96.5	60.3	38	96	3616	TY10010CG
72752	2-3/4	99	60.3	38	96	3616	TY10010CG
72753	2-13/16	101.5	60.3	41	96	3616	TY10010CG
72754	2-7/8	102.5	60.3	41	96	3616	TY10010CG
72755	2-15/16	104.5	60.3	41	100	3616	TY10010CG
72756	3	106.5	60.3	44	100	3616	TY10010CG
72757	3-1/16	109	60.3	44	100	3616	TY10010CG
72758	3-1/8	111	60.3	44	100	3616	TY10010CG
72759	3-1/4	115	86	44	102	3616	TY10021CG
72760	3-3/8	119	86	49	106	3616	TY10021CG
72761	3-1/2	124	86	49	108	3616	TY10021CG
72762	3-5/8	127	86	53	110	3616	TY10021CG
72763	3-3/4	130	86	53	110	3616	TY10021CG
72764	3-7/8	136	95	56	115	3616	
72765	4	140	95	56	115	3616	
72766	4-1/8	143	95	59	120	3616	
72767	4-1/4	146	95	59	120	3616	
72768	4-3/8	149	95	61	120	3616	
72769	4-1/2	152	95	61	120	3616	

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1" DEEP LENGTH IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72819	19	35	54	25	90	900	TY10008CG
72820	20	36	54	25	90	900	TY10008CG
72821	21	37.5	54	25	90	900	TY10008CG
72822	22	39	54	25	90	1240	TY10008CG
72823	23	40	54	25	90	1240	TY10008CG
72824	24	41.5	54	25	90	1470	TY10008CG
72825	25	42.5	54	25	90	1470	TY10008CG
72826	26	44	54	25	90	1470	TY10008CG
72827	27	45	54	25	90	1695	TY10008CG
72828	28	46.5	54	25	90	1955	TY10008CG
72829	29	47.5	54	25	90	1955	TY10008CG
72830	30	49	54	25	90	2225	TY10008CG
72831	31	50	54	25	90	2225	TY10008CG
72832	32	51.5	54	25	90	2490	TY10008CG
72833	33	52.5	54	25	90	2490	TY10008CG
72834	34	54	54	25	90	2490	TY10008CG
72835	35	55	54	25	90	2490	TY10008CG
72836	36	56.5	54	25	90	2712	TY10008CG
72837	37	58	54	25	90	2712	TY10008CG
72838	38	59	54	25	90	2712	TY10008CG
72839	39	60	54	25	90	2712	TY10008CG
72840	40	61	54	25	90	2712	TY10008CG
72841	41	62.5	54	25	90	2940	TY10008CG
72842	42	64	54	25	90	2940	TY10008CG
72843	43	65	54	25	90	2940	TY10008CG
72844	44	66	60.3	30	100	2940	TY10008CG
72845	45	67.5	60.3	30	100	2940	TY10008CG
72846	46	69	60.3	30	100	3390	TY10008CG
72847	47	70	60.3	30	100	3390	TY10008CG
72848	48	71.5	60.3	30	100	3390	TY10008CG
72849	49	73	60.3	30	100	3390	TY10008CG
72850	50	74	60.3	30	100	3615	TY10008CG
72851	51	75	60.3	30	100	3615	TY10010CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1" DEEP LENGTH IMPACT SOCKETS, CR-MO METRIC CONTINUED



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72852	52	76.5	60.3	30	100	3615	TY10010CG
72853	53	78	60.3	35	100	3615	TY10010CG
72854	54	79	60.3	35	108	3615	TY10010CG
72855	55	80	60.3	35	108	3615	TY10010CG
72856	56	81.5	60.3	35	108	3615	TY10010CG
72857	57	82.5	60.3	35	108	3615	TY10010CG
72858	58	84	60.3	35	108	3615	TY10010CG
72859	59	85	60.3	35	108	3615	TY10010CG
72860	60	86.5	60.3	35	108	3615	TY10010CG
72862	62	88	60.3	35	120	3615	TY10010CG
72863	63	90	60.3	35	120	3615	TY10010CG
72865	65	92.5	60.3	35	120	3615	TY10010CG
72867	67	95	60.3	35	120	3615	TY10010CG
72868	68	96.5	60.3	35	120	3615	TY10010CG
72869	69	98	60.3	35	120	3615	TY10010CG
72870	70	99	60.3	35	125	3615	TY10010CG
72871	71	100	60.3	35	125	3615	TY10010CG
72875	75	105	60.3	35	125	3615	TY10010CG
72877	77	108	60.3	35	125	3615	TY10021CG
72880	80	111.5	60.3	35	125	3615	TY10021CG
72885	85	115	86	35	135	3615	TY10021CG
72890	90	124	86	35	135	3615	TY10021CG
72895	95	130	86	35	140	3615	TY10021CG
72900	100					3615	TY10021CG
72905	105					3615	TY10021CG
72910	110					3615	TY10021CG
72915	115					3615	TY10021CG
72916	120					3615	TY10021CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1" DEEP LENGTH IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72919	1 1/16	30	54	25	90	904	TY10008CG
72920	3/4	35	54	25	90	904	TY10008CG
72921	13/16	37	54	25	90	1130	TY10008CG
72922	7/8	39	54	25	90	1243	TY10008CG
72923	15/16	40.5	54	25	90	1469	TY10008CG
72924	1	42.5	54	25	90	1582	TY10008CG
72925	1-1/16	44.5	54	25	90	1695	TY10008CG
72926	1-1/8	46	54	25	90	1924	TY10008CG
72927	1-3/16	49	54	25	90	2226	TY10008CG
72928	1-1/4	51.5	54	25	90	2486	TY10008CG
72929	1-5/16	54	54	25	90	2486	TY10008CG
72930	1-3/8	55	54	25	90	2486	TY10008CG
72931	1-7/16	56.5	54	25	90	2486	TY10008CG
72932	1-1/2	59	54	25	90	2486	TY10008CG
72933	1-9/16	61	54	25	90	2938	TY10008CG
72934	1-5/8	62.5	54	25	90	2938	TY10008CG
72935	1-11/16	65	54	25	90	3163	TY10008CG
72936	1-3/4	67.5	60.3	31	100	3163	TY10008CG
72937	1-13/16	69	60.3	31	100	3389	TY10008CG
72938	1-7/8	70	60.3	31	100	3389	TY10010CG
72939	1-15/16	72.5	60.3	31	100	3389	TY10010CG
72940	2	74	60.3	31	100	3616	TY10010CG
72941	2-1/16	76.5	60.3	31	100	3616	TY10010CG
72942	2-1/8	79	60.3	31	108	3616	TY10010CG

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1" DEEP LENGTH IMPACT SOCKETS, CR-MO IMPERIAL CONTINUED



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72943	2-3/16	80	60.3	31	108	3616	TY10010CG
72944	2-1/4	82.5	60.3	36	108	3616	TY10010CG
72945	2-5/16	84	60.3	36	108	3616	TY10010CG
72946	2-3/8	86.5	60.3	36	108	3616	TY10010CG
72947	2-7/16	89	60.3	36	108	3616	TY10010CG
72948	2-1/2	91.5	60.3	36	120	3616	TY10010CG
72949	2-9/16	92.5	60.3	36	120	3616	TY10010CG
72950	2-5/8	95	60.3	44	120	3616	TY10010CG
72951	2-11/16	96.5	60.3	44	120	3616	TY10010CG
72952	2-3/4	99	60.3	44	125	3616	TY10010CG
72953	2-13/16	101.5	60.3	44	125	3616	TY10010CG
72954	2-7/8	102.5	60.3	44	125	3616	TY10010CG
72955	2-15/16	104.5	60.3	44	125	3616	TY10010CG
72956	3	106.5	60.3	44	125	3616	TY10010CG
72957	3-1/16	109	60.3	44	125	3616	TY10010CG
72958	3-1/8	111.5	60.3	44	125	3616	TY10010CG
72959	3-1/4	115	86	44	135	3616	TY10021CG
72960	3-3/8	119	86	56	135	3616	TY10021CG
72961	3-1/2	124	86	56	135	3616	TY10021CG
72962	3-5/8	127	86	56	140	3616	TY10021CG
72963	3-3/4	130	86	56	140	3616	TY10021CG
72964	3-7/8	136	95	56	140	3616	
72965	4	140	95	56	155	3616	
72966	4-1/8	143	95	61	155	3616	
72967	4-1/4	146	95	61	155	3616	
72968	4-3/8	149	95	61	155	3616	
72969	4-1/2	152	95	61	155	3616	

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1-1/2" STANDARD LENGTH IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72550	30	56	86	21	78	1706	TY10020CG
72551	32	58	86	22	78	1706	TY10020CG
72552	36	64	86	24	78	1706	TY10020CG
72549	38	66	86	21	78	1706	TY10020CG
72553	41	70	86	28	80	1706	TY10020CG
72554	46	76	86	30	84	1706	TY10020CG
72555	50	81	86	32	87	1706	TY10020CG
72556	55	87	86	37	90	1706	TY10020CG
72557	60	94	86	39	95	1706	TY10020CG
72558	65	100	86	42	100	1706	TY10020CG
72559	70	106	86	46	105	1706	TY10020CG
72560	75	112	86	49	108	5423	TY10020CG
72561	80	116	86	43	110	5423	TY10020CG
72562	85	125	86	56	118	5423	TY10020CG
72563	90	131	86	59	123	5423	TY10020CG
72564	95	137	95	61	123	5423	TY10025CG
72565	100	144	95	65	130	5423	TY10025CG
72566	105	154	95	68	130	5423	TY10025CG
72567	110	157	95	72	135	5423	TY10025CG
72568	115	164	95	77	140	5423	TY10025CG
72569	120	168	95	64	135	5423	TY10025CG
72571	130	184	127	80	145	5423	TY10025CG
72572	135	194	127	85	150		
72573	140	197	127	90	160		
72574	145	204	127	90	160		
72575	150	207	127	90	160		
72576	155	214	127	90	160		

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1-1/2" STANDARD LENGTH IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72577	1-3/16	56	86	20			
72578	1-3/8	62	86	20	78		
72579	1-7/16	64	86	20	78		
72580	1 1/4	56	86	20	78		
72581	1-1/2	66	86	21	78	1706	TY10020CG
72582	1-3/4	75	86	24	84	1706	TY10020CG
72583	1-13/16	76	86	24	84	1706	TY10020CG
72584	2	82	86	26	87	1706	TY10020CG
72585	2-1/16	83	86	27	87	5423	TY10020CG
72586	2-3/16	86	86	35	90	5423	TY10020CG
72587	2-5/16	92	86	36	92	5423	TY10020CG
72594	2-3/8	93	86	36	92	5423	TY10020CG
72588	2-7/16	96	86	38	95	5423	TY10020CG
72589	2-9/16	97	86	38	95	5423	TY10020CG
72595	2-5/8	103	86	41	100	5423	TY10020CG
72590	2-11/16	104	86	41	100	5423	TY10020CG
72596	2-15/16	110	86	41	103	5423	TY10020CG
72591	3	110	86	41	103	5423	TY10020CG
72597	3-1/8	116	86	43	110	5423	TY10025CG
72592	3-3/8	125	86	43	118	5423	TY10025CG
72593	3-1/2	130	86	47	118	5423	TY10025CG
72598	3-5/8	134	86	52	118		
72599	3-7/8	142	95	54	125		
72600	4	145	95	54	125		
72601	4-1/8	150	95	54	125		
72602	4-3/8	160	95	54	125		
72603	4-3/4	168	95	62	135		

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1/2" HEX DRIVERS IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D2 (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72475	5	25	78	30	
72476	6	25	78	52	
72477	7	25	78	78	
72478	8	25	78	120	
72479	10	25	78	220	
72480	11	25	78	295	
72481	12	25	78	370	
72482	14	25	78	590	
72483	17	25	78	1000	
72484	19	30	78	1400	

1/2" HEX DRIVERS IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D2 (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72485	7/32	25	78	30	
72486	1/4	25	78	52	
72487	5/16	25	78	78	
72488	3/8	25	78	120	
72489	7/16	25	78	220	
72490	1/2	25	78	295	
72491	9/16	25	78	370	
72492	5/8	25	78	590	
72493	11/16	25	78	1000	
72494	3/4	30	78	1400	

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

3/4" HEX DRIVERS IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D2 (mm)	L (mm)	L2 (mm)	TORQUE RATE N.M.	RET RING
72414	14	44	20	100	590	TY10032CG
72417	17	44	20	100	1000	TY10032CG
72419	19	44	20	100	1400	TY10032CG
72421	21	44	20	100	1867	TY10032CG
72422	22	44	20	100	2100	TY10032CG
72424	24	44	20	100	2700	TY10032CG
72427	27	44	20	100	2700	TY10032CG
72430	30	44	20	100	2700	TY10032CG
72432	32	44	20	100	2700	TY10032CG

3/4" HEX DRIVERS IMPACT SOCKETS, CR-MO IMPERIAL



PART NO.	SIZE (inches)	D2 (mm)	L (mm)	L2 (mm)	TORQUE RATE N.M.	RET RING
72439	9/16	44	20	100	590	TY10032CG
72440	5/8	44	20	100	865	TY10032CG
72442	3/4	44	20	100	1400	TY10032CG
72443	13/16	44	20	100	1867	TY10032CG
72444	7/8	44	20	100	2100	TY10032CG
72445	15/16	44	20	100	2700	TY10032CG
72446	1	44	20	100	2700	TY10032CG

1" HEX DRIVERS IMPACT SOCKETS, CR-MO METRIC



PART NO.	SIZE (mm)	D2 (mm)	L (mm)	L2 (mm)	TORQUE RATE N.M.	RET RING
72514	14	54	20	100	590	
72517	17	54	20	100	1000	
72519	19	54	20	100	1400	
72522	22	54	20	100	2100	
72524	24	54	20	100	2700	
72527	27	54	20	100	2700	
72530	30	54	20	100	2700	
72532	32	54	20	100	2700	

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

IMPACT UNIVERSAL JOINT, CR-MO



PART NO.	(EMPTY SQ) SIZE (inch)	(FULL SQ) SIZE (inch)	D2 (mm)	L (mm)	TORQUE RATE N.M.
72450	1/2	1/2	27.6	65.6	316
72451	3/4	3/4	44	111.5	791
72470	1	1	54	133	1130

IMPACT ADAPTOR, CR-MO



PART NO.	(EMPTY SQ) SIZE (inch)	(FULL SQ) SIZE (inch)	D2 (mm)	L (mm)	TORQUE RATE N.M.
72452	3/8	1/2	22.5	37	226
72453	1/2	3/8	25	38	226
72454	1/2	3/4	29.8	47	508
72455	3/4	1/2	44	56	508
72456	3/4	1"	44	63	1582
72457	1	3/4	54	73	1582
72471	1	1-1/2	51	86.5	1910
72472	1-1/2	1	86	100	1910

IMPACT EXTENSION BAR, CR-MO



PART NO.	(EMPTY SQ) SIZE (inch)	(FULL SQ) SIZE (inch)	L (inches)	D2 (mm)	L (mm)	TORQUE RATE N.M.
72458	1/2	1/2	3	24	76	395
72459	1/2	1/2	5	24	127	395
72460	1/2	1/2	10	24	252	395
72461	3/4	3/4	7	44	175	1017
72462	3/4	3/4	10	44	252	1017
72466	1	1	3	54	76	1695
72467	1	1	7	54	175	1695
72468	1	1	10	54	252	1695
72469	1	1	13	54	328	1695

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

3/4" DR RECTANGLE IMPACT SOCKETS



PART NO.	STD/DEEP	SIZE (mm)	D2 (mm)	L (mm)	L2 (mm)	TORQUE RATE N.M.	RET RING
72200	STD	19 X 21	44	45	27		TY10032CG
72201	DEEP	19 X 21	44	45	34		TY10032CG
72202	STD	21 X 28	44	50	27		TY10034CG
72203	DEEP	21 X 28	44	50	34		TY10034CG

1" DR RECTANGLE IMPACT SOCKETS



PART NO.	STD/DEEP	SIZE (mm)	D2 (mm)	L (mm)	L2 (mm)	TORQUE RATE N.M.	RET RING
72615	STD	19 X 21	47	54	29		TY10008CG
72616	DEEP	19 X 21	47	54	35		TY10008CG
72617	STD	21 X 28	62	62	29		TY10010CG
72618	DEEP	21 X 28	62	62	35		TY10010CG

3/4" DR SQUARE IMPACT SOCKETS



PART NO.	SIZE (mm/inch)	L (inches)	D2 (mm)	L (mm)	TORQUE RATE N.M.
72207	17				
72209	19				
72210	20				
72211	21				
72212	22				
72213	11/16"				
72214	3/4"				
72215	13/16"				
72216	15/16"				

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

1/2" DR TORX IMPACT SOCKETS



PART NO.	SIZE	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.	RET RING
72985	T20		25		78		
72986	T25		25		78		
72987	T27		25		78		
72988	T30		25		78		
72989	T40		25		78		
72990	T45		25		78		
72991	T47		25		78		
72992	T50		25		78		
72993	T55		25		78		
72994	T60		30		78		
72995	T70		30		78		
72996	T80						
72997	T90						
72998	T100						

1" DR TORX IMPACT SOCKETS



PART NO.	SIZE (mm)	D2 (mm)	L (mm)	L2 (mm)	TORQUE RATE N.M.	RET RING
72980	E20	33.5	54	16		TY10008CG
72984	E24	33.5	54	16		TY10008CG

1/2" WHEEL NUT IMPACT SOCKET WITH PLASTIC SLEEVE & STOP, CR-MO METRIC



PART NO.	SIZE (mm)	D1 (mm)	D2 (mm)	T (mm)	L (mm)	TORQUE RATE N.M.
72001	17 BLUE	27	30	14	85	475
72002	19 YELLOW	29	30	15	85	565
72003	21 RED	31	30	17	85	570
72004	22 PURPLE	32.5	32	18	85	570
72005	24 GREEN	35	34	18	85	570

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

IMPACT SOCKET SETS

1/2" DRIVE

14 PC 1/2" DR. STANDARD IMPACT SOCKET SET METRIC PART NO. 72500



Sizes (mm)

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27

14 PC 1/2" DR. DEEP IMPACT SOCKET SET METRIC PART NO. 72501



Sizes (mm)

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27

13 PC 1/2" DR. STANDARD IMPACT SOCKET SET IMPERIAL PART NO. 72502



Sizes (inch)

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

13 PC 1/2" DR. DEEP IMPACT SOCKET SET IMPERIAL PART NO. 72503



Sizes (inch)

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

28 PC 1/2" DRIVE STANDARD & DEEP IMPACT SOCKET SET METRIC PART NO. 72506



Sizes (mm)

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27

Both Standard and Deep lengths

26 PC 1/2" DRIVE STANDARD & DEEP IMPACT SOCKET SET IMPERIAL PART NO. 72507



Sizes (inch)

7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1",
1-1/16", 1-1/8", 1-1/4"

Both Standard and Deep lengths

20 PC 1/2" DR STANDARD IMPACT SOCKET SET METRIC 10-36MM PART NO. 72542



Sizes (mm)

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27,
28, 30, 32, 33, 34, 36

20 PC 1/2" DR DEEP IMPACT SOCKET SET METRIC 10-36MM PART NO. 72543



Sizes (mm)

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27,
28, 30, 32, 33, 34, 36

8 PC 3/4" STANDARD LENGTH IMPACT SOCKET SET METRIC PART NO. 72510



Sizes (mm)
24, 27, 30, 32, 34, 36, 41, 46

8 PC 3/4" DEEP LENGTH IMPACT SOCKET SET METRIC PART NO. 72511



Sizes (mm)
24, 27, 30, 32, 34, 36, 41, 46

8 PC 3/4" STANDARD LENGTH IMPACT SOCKET SET IMPERIAL PART NO. 72512



Sizes (inch)
1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

8 PC 3/4" DEEP LENGTH IMPACT SOCKET SET IMPERIAL PART NO. 72513



Sizes (inch)
1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

17 PC 3/4" DR IMPACT SOCKET SET METRIC 19-55MM PART NO. 72541



Sizes (mm)

19, 21, 22, 24, 27, 30, 32, 33, 34, 35, 36, 38,
40, 41, 46, 50, 55

21 PC 3/4" DR STD IMPACT SOCKET SET METRIC 19-65MM PART NO. 72544



Sizes (mm)

19, 20, 21, 22, 24, 27, 30, 32, 33, 34, 35, 36, 38,
40, 41, 42, 46, 50, 55, 60, 65

21 PC 3/4" DR DEEP IMPACT SOCKET SET METRIC 19-65MM PART NO. 72545



Sizes (mm)

19, 20, 21, 22, 24, 27, 30, 32, 33, 34, 35, 36, 38,
40, 41, 42, 46, 50, 55, 60, 65

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

9 PC 1" STANDARD LENGTH IMPACT SOCKET SET IMPERIAL PART NO. 72610



Sizes (inch)

1", 1-1/8", 1-1/4", 1-5/16", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2"

9 PC 1" DEEP LENGTH IMPACT SOCKET SET IMPERIAL PART NO. 72611



Sizes (inch)

1", 1-1/8", 1-1/4", 1-5/16", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2"

9 PC 1" STANDARD LENGTH IMPACT SOCKET SET METRIC PART NO. 72612



Sizes (mm)

24, 27, 30, 32, 36, 38, 41, 46, 50

9 PC 1" DEEP LENGTH IMPACT SOCKET SET METRIC PART NO. 72613



Sizes (mm)

24, 27, 30, 32, 36, 38, 41, 46, 50

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

15 PC 1" DR STD IMPACT SOCKET SET METRIC 24-75MM PART NO. 72546



Sizes (mm)

24, 27, 30, 32, 36, 38, 41, 42, 46, 50, 55, 60, 65, 70, 75

15 PC 1" DR DEEP IMPACT SOCKET SET METRIC 24-75MM PART NO. 72547



Sizes (mm)

24, 27, 30, 32, 36, 38, 41, 42, 46, 50, 55, 60, 65, 70, 75

6PC IMPACT ADAPTOR SET 3/8" DR - 1" DR PART NO. 72548



72452 – 3/8" Female – 1/2" Male

72453 – 1/2" Female – 3/8" Male

72454 – 1/2" Female – 3/4" Male

72455 – 3/4" Female – 1/2" Male

72456 – 3/4" Female – 1" Male

72457 – 1" Female – 3/4" Male

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

8 PC 1/2" HEX DRIVERS IMPACT SOCKET SET METRIC PART NO. 72504



Sizes (mm)

10, 11, 12, 13, 14, 15, 17, 19

8 PC 1/2" HEX DRIVERS IMPACT SOCKET SET IMPERIAL PART NO. 72505



Sizes (inch)

1/4, 15/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"

10 PC 1/2" HEX DRIVERS IMPACT SOCKET SET METRIC PART NO. 72508



Sizes (mm)

5, 6, 8, 10, 12, 13, 14, 15, 17, 19

9 PC 1/2" DR TORX IMPACT SET T27-T70 PART NO. 72540



Sizes (Torx)

T27, T30, T40, T45, T47, T50, T55, T60, T70

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

7 PC 3/4" DRIVE INHEX IMPACT SOCKET SET METRIC PART NO. 72410



Sizes (mm)
19, 21, 22, 24, 27, 30, 32

8 PC 3/4" DRIVE INHEX IMPACT SOCKET SET IMPERIAL PART NO. 72412



Sizes (inch)
9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

7 PC 3/4" DRIVE INHEX IMPACT SOCKET SET METRIC PART NO. 72509



Sizes (mm)
14, 17, 19, 21, 22, 24, 27

7 PC 1" INHEX IMPACT SOCKET SET METRIC PART NO. 72614



Sizes (mm)
14, 17, 19, 21, 22, 24, 27

CAUTION Always wear safety goggles when using impact equipment. Do not hold socket while in use.

CROWSFOOT SPANNERS AND RET RINGS - SETS/INDIVIDUAL

73200.

15 PC CROWSFOOT SPANNER SET METRIC

- 3/8" DR: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 1/2" DR: 21, 22, 24mm



14 PC CROWSFOOT SETS 1/2" DRIVE

- 73201 Metric** - 27mm, 29mm, 30mm, 32mm, 33mm, 34mm, 35mm, 36mm, 38mm, 41mm, 43mm, 46mm, 48mm, 50mm
- 73301 AF** - 1 1/16", 1 1/8", 1 3/16", 1 1/4", 1 5/16", 1 3/8", 1 7/16", 1 1/2", 1 5/8", 1 11/16", 1 3/4", 1 13/16", 1 7/8", 2"



CROWSFOOT SPANNERS

73208	3/8" DR 8MM	73310	3/8" DR 5/16"
73209	3/8" DR 9MM	73311	3/8" DR 3/8"
73210	3/8" DR 10MM	73312	3/8" DR 7/16"
73211	3/8" DR 11MM	73313	3/8" DR 1/2"
73212	3/8" DR 12MM	73314	3/8" DR 9/16"
73213	3/8" DR 13MM	73315	3/8" DR 5/8"
73214	3/8" DR 14MM	73316	3/8" DR 11/16"
73215	3/8" DR 15MM	73317	3/8" DR 3/4"
73216	3/8" DR 16MM	73318	1/2" DR 13/16"
73217	3/8" DR 17MM	73319	1/2" DR 7/8"
73218	3/8" DR 18MM	73320	1/2" DR 15/16"
73219	3/8" DR 19MM	73321	1/2" DR 1"
73221	1/2" DR 21MM	73322	1/2" DR 1 - 1/16"
73222	1/2" DR 22MM	73323	1/2" DR 1 - 1/8"
73224	1/2" DR 24MM	73324	1/2" DR 1 - 3/16"
73227	1/2" DR 27MM	73325	1/2" DR 1 - 1/4"
73229	1/2" DR 29MM	73326	1/2" DR 1 - 5/16"
73230	1/2" DR 30MM	73327	1/2" DR 1 - 3/8"
73232	1/2" DR 32MM	73328	1/2" DR 1 - 7/16"
73233	1/2" DR 33MM	73329	1/2" DR 1 - 1/2"
73234	1/2" DR 34MM	73331	1/2" DR 1 - 5/8"
73235	1/2" DR 35MM	73332	1/2" DR 1 - 11/16"
73236	1/2" DR 36MM	73333	1/2" DR 1 - 3/4"
73238	1/2" DR 38MM	73334	1/2" DR 1 - 13/16"
73241	1/2" DR 41MM	73335	1/2" DR 1 - 7/16"
73243	1/2" DR 43MM	73336	1/2" DR 2"
73246	1/2" DR 46MM		
73248	1/2" DR 48MM		
73250	1/2" DR 50MM		



RETAINING RINGS

- TYRR50095** - 1/2" DR 15-38MM / 5/8" - 1-1/4"
- TY10005CG** - 3/4" DR - 1-1/4"
- TY10008CG** - 1" DR 19-50MM / 11/16" - 1-13/16"
- TY10010CG** - 1" DR 51-75MM / 1-7/8" - 3-1/8"
- TY10015CG** - 1" DR 2-1/8"
- TY10016CG** - 1" DR 2-1/4"
- TY10017CG** - 1" DR 2-1/2"
- TY10019CG** - 1" DR 2-5/8"
- TY10020CG** - 1-1/2" DR 30-90MM / 1-1/4" - 3"
- TY10021CG** - 1-1/2" DR 77-95MM / 3-1/4" - 3-5/8"
- TY10025CG** - 1-1/2" DR 95-115MM / 3-3/8" - 3-1/2"
- TY10030CG** - 1-1/2" DR 3-7/8"
- TY10032CG** - 3/4" DR 17-50MM / 1/2" - 2"
- TY10034CG** - 3/4" DR 1-5/8"
- TY10035CG** - 1-1/2" DR 130-130MM
- TY18708CG** - 3/4" DR 54-65MM / 2-1/16" - 2-1/2"
- TY18710CG** - 3/4" DR 2"
- TY18715CG** - 3/4" DR 2-1/8"
- TY18715CG** - 3/4" DR 2-1/4"



73024.

1/2" COMPOSITE HOUSING IMPACT WRENCH TWIN HAMMER

- 8000 RPM
- Max Torque 820FT-LB
- Max Torque 1112NM
- CFM 4
- Weight 2.03kg
- Noise: 88dBA



73026.

1/2" DRIVE STUBBY IMPACT WRENCH

- Jumbo Hammer
- 500 FT-LB
- 678Nm
- 8000RPM



73027.

1/2" ANGLE IMPACT WRENCH

- Jumbo Hammer
- 240 FT-LB
- 27-231 Working Torque
- 325Nm Max Torque
- 8500RPM



73033.

3/4" COMPOSITE HOUSING IMPACT WRENCH TWIN HAMMER

- 5500 RPM
- Max Torque 1500FT-LB
- Max Torque 2034NM
- CFM 7
- Weight 3.44kg
- Noise: 90dBA



73040.

1" COMPOSITE HOUSING IMPACT WRENCH TWIN HAMMER

- 5500 RPM
- Max Torque 1500FT-LB
- Max Torque 2034NM
- CFM 7
- Weight 3.53kg
- Noise: 90dBA



73042.

1" HEAVY DUTY IMPACT WRENCH TWIN HAMMER

- 6000 RPM
- Max Torque 1800FT-LB
- Max Torque 2441NM
- CFM 10
- Weight 11kg
- Noise: 86dBA



73044.

1" HEAVY DUTY IMPACT WRENCH TWIN HAMMER

- 6000 RPM
- Max Torque 1800FT-LB
- Max Torque 2441NM
- CFM 10
- Weight 10kg
- Noise: 86dBA
- Pistol Grip



73045.

1" DRIVE HEAVY DUTY IMPACT WRENCH WITH D-HANDLE

- Standard Anvil, Side D-Handle
- TWIN HAMMER
- 2500 FT-LBS
- 3391.5 Nm
- 5000RPM



73046.

1" DRIVE HEAVY DUTY IMPACT WRENCH WITH 6" ANVIL

- 6" Anvil, Side D-Handle
- TWIN HAMMER
- 2500 FT-LBS
- 3391.5 Nm
- 5000RPM



73048.

1 - 1/2" DRIVE HEAVY DUTY WRENCH

- Side D-Handle
- 3000FT-LBS
- 4067 Nm
- 15.5 KG
- 3000RPM
- 14.8 CFM



73050.

3/8" MINI AIR RATCHET

- 240 RPM
- Max Torque 18FT-LB
- Max Torque 24NM
- CFM 6
- Weight 0.55kg
- Noise: 90dBA



73051.

1/2" AIR RATCHET

- 150 RPM
- Max Torque 50FT-LB
- Max Torque 68NM
- CFM 3
- Weight 1.1kg
- Noise: 94dBA



73052.

1/2" HEAVY DUTY AIR RATCHET

- 150 RPM
- Max Torque 50FT-LB
- Max Torque 68NM
- CFM 3
- Weight 1.2kg
- Noise: 79dBA



73060.

1/4" DIE GRINDER

- Collet size: 1/4" and 6mm
- Free speed: 22000 RPM
- Inlet (NPT): 1/4"
- Pressure (bar): 6.3
- Exhaust: Rear
- Consumption: 24 SCFM
- Weight: 0.6kg
- Length: 170mm



73061.

1/4" COMPOSITE DIE GRINDER HEAVY DUTY

- 20000 RPM
- CFM 4
- Weight: 0.7kg
- Noise: 84dBA



73062.

1/4" ANGLE DIE GRINDER

- Collet Size: 1/4" or 6mm
- Free Speed: 20000 RPM
- Inlet (NPT): 1/4"
- Pressure (bar): 6.2
- Exhaust: Rear
- Consumption: 17 SCFM
- Weight: 0.5kg
- Length: 155mm



73063.

1/4" ANGLE DIE GRINDER HEAVY DUTY

- Length: 158mm
- Weight: 0.5kg
- Air Pressure: 90PSI
- Speed: 22,000 (RPM)
- Noise: 85dBA
- Air Inlet Thread: 1/4"
- Air Hose Size: 3/8"
- CFM: 4
- LPM: 115



73064.

1/4" EXTENDED ANVIL DIE GRINDER

- 22000 RPM
- CFM 4
- Weight: 1.2kg
- Noise: 93dBA



73065.

1/4" EXTENDED ANVIL DIE GRINDER HEAVY DUTY

- 20000 RPM
- CFM 4
- Weight: 1.4kg
- Noise: 84dBA



73068.

4" ANGLE GRINDER

- Disc Size: 4" (100mm)
- Spindle Size: M10, M14 & 3/8"-24 UNF
- Flange of Central Hole: 16mm
- Free Speed: 11000 RPM
- Inlet (NPT): 1/4"
- Pressure (bar): 6.2
- Exhaust: Front
- Consumption: 33 SCFM
- Weight: 1.7kg
- Length: 225mm



73070.

5" ANGLE GRINDER

- 12000 RPM
- Spindle: M14 x 2.0
- CFM 10
- Weight: 1.6kg
- Noise: 83dBA



73072.

6" NON VACUUM PALM SANDER

- 12000 RPM
- Spindle: 5/16" - 24
- CFM 4
- Weight: 0.6kg
- Noise: 76dBA



73075.

3/8" REVERSIBLE DRILL WITH STD KEYED CHUCK

- 2000 RPM
- Spindle: 3/8" - 24
- CFM 4
- Weight: 1kg
- Noise: 85dBA
- Keyless chuck model shown



73076.

1/2" REVERSIBLE DRILL WITH STD KEYED CHUCK

- 800 RPM
- Spindle: 3/8" - 24
- CFM 4
- Weight: 1.3kg
- Noise: 89dBA
- Keyless chuck model shown



73077.

3/8" ANGLE REVERSIBLE DRILL WITH STD KEYED CHUCK

- 1400 RPM
- Spindle: 3/8" - 24
- CFM 4
- Weight: 1.8kg
- Noise: 90dBA



73080.

AIR HAMMER KIT

- Weight: 3.3kg
- Speed: 3,200RPM
- Noise 101dBA



73082.

3/16" AIR RIVETER

- Stroke: 9/16"
- Pull: 1940LB
- CFM 8
- Weight 1.9kg
- Noise: 76dBA



73083.

1/4" HEAVY DUTY AIR RIVETER

- Stroke: 10/16"
- Pull: 3055LB
- CFM 8
- Weight 2.6kg
- Noise: 97dBA



73085.

HEAVY DUTY NEEDLE SCALER

- Needles 3mm x 19
- BPM 3000
- CFM 4
- Weight 2.6kg
- Noise: 97dBA



73086.

STRAIGHT NEEDLE SCALER

- 4600 BPM
- 6.0 CFM
- 90PSI
- HOSE I.D. 3/8"
- 2.7KG



73090.

ENGINE CLEANING GUN

- Length: 216mm
- Weight: 0.7kg
- Air Pressure: 50-70PSI
- Air Inlet Thread (NPT): 1/4"
- CFM: 4
- LPM: 115
- Cup Capacity: 0.7L
- Fluid Tip Size(I.D.): 1.8mm
- Fluid Inlet: 3/8"



AIR DUSTER

- 73092** 100mm air duster
- 73093** 300mm air duster
- 73094** 500mm air duster





OUR GUARANTEE OF STRENGTH

Typhoon Tools have a lifetime warranty against faulty workmanship and materials.

 facebook.com/typhoontoolsaustralia

www.typhoon-tools.com.au

HEAD OFFICE

Phone 03 8353 2402 Fax 03 8353 2403
39 Sunline Drive, Truganina, Victoria 3029
salesvic@typhoon-tools.com.au

WESTERN AUSTRALIA

Phone 08 9258 8999 Fax 08 9358 0555
1/14 Fargo Way, Welshpool WA 6106
sales@typhoon-tools.com.au